

SHENZHEN CONTINENT TECHNOLOGY CO., LTD

B608, Nanling East Rd. 7th, Nanwan Street, Longgang, Shenzhen 518112, China Tel: +86-0755-28313293 Email: info@continent-tech.com url: www.continent-tech.com

MSDS Report

Reference IATA DGR 60th (2019 Edition) for transportation LITHIUM ION BATTERY

1. PRODUCT IDENTIFICATION AND COMPANY IDENTIFICATION 产品信息

Product Name:	Rechargeable Li-ion Battery	
Model	MEC047	
Nominal Voltage:	11.1V	
Typical Capacity:	3200mAh	
Weight:	160g	
Dimension :		

Manufacture: SHENZHEN CONTINENT TECHNOLOGY CO., LTD

Address: B608, Nanling East Rd. 7th, Nanwan Street

Longgang, Shenzhen 518112, China

Tel: +86-0755-28313293

Emergency Tel: +86-19875218532

2. Composition & Information on Ingredients 成分/组成信息

	Concentration or	CAS Number
Chemical Name 化学名称	Concentration ranges (%)	CAS 号 (化学文摘
	浓度或浓度范围 (%)	索引登记号
Lithium Cobalt Oxide (CoLiO2)	15-40	12190-79-3
钴酸锂		
Graphite 石墨	10-30	7782-42-5
Phosphate(1-),hexafluoro-, lithium	10-30	21324-40-3
六氟磷酸锂	10-30	21024-40-0
Copper 铜	7-13	7440-50-8
Aluminum foil 铝箔	5-10	7429-90-5
Nickel 镍	1-5	7440-02-0



Labeling according to EC directives. 标签根据 EC 指令。

No symbol and risk phrase are required. 不需要象形符号和风险短语。

Note: CAS number is Chemical Abstract Service Registry Number.

注意: CAS 号是化学文摘服务注册号码。

N/A=Not apply. N / A =不适用

3. Hazards Identification 危险性概述

Classification of Danger 危险性类别	See section 14 见第十四部分。
Primary Route(s) of Exposure 浸入途径	Eye, skin contact, ingestion 眼睛,皮肤接触,摄入。
Health Hazard 健康危害	The batteries are not hazardous when used according to the instructions of manufacturer under normal conditions. In case of abuse, there's risk of rupture, fire, heat, leakage of internal components, with could cause casualty loss. Abuses include but not limited to the following cases: charged for long time, short circuited, put into fire, whacked with hard object, punctured with acute object, crushed, and broken. 正常条件下根据制造商的说明使用电池不会产生危害。使用不当的情况下,有破裂、起火、发烫、内部成分泄漏的风险,并可能造成意外损失。使用不当的行为包括但不限于下列情况:长时间充电、短路、投入火中、硬物撞击、尖物刺破、破碎,和破裂。

4. First Aid Measures 急救措施

Eye 眼睛	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. 万一接触,立即用大量的清水冲洗至少 15 分钟,翻起上下眼睑,直到化学的残留物消失为止,迅速就医。
Skin 皮肤	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 万一接触,用大量水冲洗至少 15 分钟,同时除去污染的衣物和鞋子,迅速就医。
Inhalation 吸入	Remove from exposure and move to fresh air immediately. Use oxygen if available. 立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。
Ingestion 食入	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician. 饮用至少两杯牛奶或水。如果当事人仍然清醒可以采取催吐的方法,并且立即就医。

5. Fire-Fighting Measures 消防措施



Characteristics of Hazard 危险特性	Dusts at sufficient concentrations can form explosive mixtures with air. Combustion generates toxic fumes. 高密度烟尘遇空气形成爆炸性混合物,燃烧生成有毒烟雾。.
Hazardous Combustion Products	Carbon dioxide.
燃烧产生的危险物品	二氧化碳。
Fire-extinguishing Methods and Extinguishing Media 灭火方法及灭火剂	For small fires, use water spray, dry chemical, carbon dioxide or chemical foam. 对于小型火险,可使用水枪,干冰(也就是液态二氧化碳)或化学泡沫。
Attention in Fire-extinguishing 灭火注意事项	Wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 因为压强关系,要穿戴可呼吸式全身防护装备,MSHA/NIOSH (经认证或等效的)以及佩戴全套防护装置。

6. Accidental Release Measures 泄露应急处理

	In case of rupture. Attention! Corrosive material. Avoid contact	
	with skin, eyes and clothing. Ensure adequate ventilation. Use	
Personal Precautions	personal protective equipment as required. Evacuate personnel	
Protective equipment	to safe areas. Keep people away from and upwind of spill/leak.	
Emergency procedures	Refer to protective measures listed in Sections 7 and 8.	
个人预防措施、防护装备	万一破裂。注意! 腐蚀性物质。避免接触皮肤,眼睛或衣服。确保	
和应急程序	空气流通。根据需要使用个人防护装备。将人员撤离到安全区域。	
	让人们远离溢出/泄漏处和处于逆风。参考第七部分和第八部分中	
	列出的防护措施。	
Environmental	Prevent material from contaminating soil and from entering	
Precautions	sewers or waterways.	
环境保护措施	防止产品污染土壤和进入下水道或水道。	
Methods and materials	Stop the leak if safe to do so. Contain the spilled liquid with dry	
for Containment	sand or earth. Clean up spills immediately.	
方法和材料控制	出于安全,阻止泄漏,可以用于砂或泥土来遏制液体溢出。	
	Absorb spilled material with an inert absorbent (dry sand or	
	earth). Scoop contaminated absorbent into an acceptable waste	
	container. Collect all contaminated absorbent and dispose of	
Methods and materials	according to directions in Section 13. Scrub the area with	
for cleaning up	detergent and water; collect all contaminated wash water for	
清理的方法和材料	proper disposal.	
	用惰性吸收剂(干砂或泥土)吸收溢出的材料。污染物转移到可接受	
	的废物容器中。收集所有受污染的吸收剂,用洗涤剂和水清洁污染	
	区域按照第十三部分的说明进行处理。	



7. Handling and Storage 操作处置与储存

	In case of rupture. Handle in accordance with good industrial hygiene	
Handling	and safety practice. Avoid contact with skin, eyes or clothing. Use	
_	personal protection equipment.	
操作	万一破裂。按照良好的工业卫生和安全规范进行操作。避免接触皮肤,	
	眼睛或衣服。使用个人防护设备。	
	Store in a cool, dry, well-ventilated area away from incompatible	
Storage	substances. Store locked up. Keep out of the reach of children.	
储存	储藏于阴凉,干燥,通风处,远离接触会发生反应的	
	材料。存储锁定。放在儿童无法接触的地方。	
	The battery may explode or cause burns, if disassembled, crushed or	
Other Precautions	exposed to fire or high temperatures. Do not short or install with	
其他要注意的防范	incorrect polarity.	
措施	拆解、挤压、直接放入火中或高温条件下,电池可能发生爆炸和燃烧。	
	禁止短路或将电池正负极错误的安装在设备中。	

8. Exposure Controls/Personal Protection 接触控制和个体防护

	Use adequate ventilation to keep airborne concentrations low. If used		
Engineering	under conditions that generate particulates, the ACGIH TLV-TWA of		
Controls	3mg/ m 3 respirable fraction (10mg/m 3 total) should be observed.		
工程控制	保证空气流通使空气密度保持在低水平。如果在会生成微粒的情况下使用,		
	应仔细观察 3mg/m 3 ACGIHTLV-TWA 3 的吸入量(总量为 10mg/m 3)。		
	Eye and Face Protection: None required for consumer use. If there is a risk		
	of contact: Tight sealing safety goggles. Face protection shield.		
	┃ 眼睛和脸部保护:消费者无需使用。如果有接触危险:密封安全护目镜。面 ┃		
Dansan	部防护罩。		
Personal	Skin and Body Protection: None required for consumer use. If there is a		
Protective	risk of contact: Wear protective gloves and protective clothing.		
Equipment	皮肤和身体防护:消费者无需使用。如果有接触危险穿戴防护手套和防护服。		
个人防护	Respiratory Protection: No protective equipment is needed under normal		
设备	use conditions. If exposure limits are exceeded or irritation is experienced,		
ventilation and evacuation may be required.			
	呼吸系统防护:正常使用条件下不需要防护设备。如果超过暴露限值或发生		
	刺激,可能需要通风和疏散。		



9. Physical and Chemical Properties理化特性

	Appearance: Square 外形: 棱形
The state of the THALE of	Color: Silvery 颜色: 银色
Physical State 物理状态	Odor: If leaking, smells of medical ether.
	气味: 泄漏时, 医用乙醚的气味。
Change in condition 变化的条件:	
pH 酸碱度	Not applicable as supplied. 不适用。
Flack Daint 171 E	Not applicable unless individual components exposed.
Flash Point 闪点	除非单个的组件暴露,否则不适用。
Classical Edition	Not applicable unless individual components exposed.
Flammability 易燃度	除非单个的组件暴露,否则不适用。
Relative density 相对密度	Not applicable unless individual components exposed.
Relative delisity 相对金度	除非单个的组件暴露,否则不适用。
Salubility (water) 溶解性 (水溶性)	Not applicable unless individual components exposed.
Solubility (water) 溶解性 (水溶性)	除非单个的组件暴露,否则不适用。
Solubility (other) 溶解性 (甘州)	Not applicable unless individual components exposed.
Solubility (other) 溶解性(其他)	除非单个的组件暴露,否则不适用。

10. Stability and Reactivity 稳定性和反应性

Chemical Stability 化学稳定性	Stable under recommended storage conditions. 在推荐的储存条件下可以保持稳定。
Possibility of Hazardous Reactions	None under normal processing.
危险反应的可能性	正常处理下没有。
Conditions to Avoid	Exposure to air or moisture over prolonged periods.
应避免的条件	暴露在空气中或长时间受潮。
Incompatible materials	Acids, Oxidizing agents, Bases.
不相容材料	酸,氧化剂,碱。
Hazardous Decomposition Products	Carbon oxides.
有危害分解物	二氧化碳。

11. Toxicological Information 毒理学信息

Irritation 刺激	In the event of exposure to internal contents, vapor fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下,蒸汽烟雾可能对眼睛和皮肤的刺激性。
Sensitization 致敏	Not Available 不适用。
Reproductive Toxicity 再生毒性	Not Available 不适用。
Toxicologically Synergistic Materials 协同材料毒理学	Not Available 不适用。



12. Ecological Information 生态学信息

General note 通用信息	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity 化学产品在环境/可能的环境预期的行为的一种生态毒性	Not Available 不适用。

13. DISPOSAL CONSIDERATIONS 废弃处置

Waste Treatment 废弃处置方法	Recycle or dispose of in accordance with government, state
	& local regulations.
	建议遵照国家和地方法规处置或再利用。
	Deserted batteries couldn't be treated as ordinary trash.
	Couldn't be thrown into fire or placed in high temperature.
Attention for Waste Treatment	Couldn't be dissected, pierced, crushed or treated similarly.
废弃注意事项	Best way is recycling.
	废电池不能被当作普通垃圾。不能扔进火中或置于高温下。不
	能解体,刺穿,破碎或类似的处理。最好的办法是回收利用。

14. TRANSPORTATION INFORMATION 运输信息

UN number 联合国货物编号(UN 编号)	3480 & 3481
	Lithium ion batteries (limited to a maximum of 30%SoC) or;
	世离子电池(荷电状态不得超过其额定容量的 30%)或;
	Lithium ion batteries packed with equipment (including lithium ion
Proper shipping name	polymer batteries) or ;
运输专用名称	与设备一起包装的锂离子电池(包括锂离子聚合物电池)或;
	Lithium ion batteries contained in equipments (including lithium ion
	polymer batteries).
	包含在设备中的锂离子电池(包括锂离子聚合物电池)。
Class or division 危险货物类别	9
Marine pollutant (Yes/No)	No
海洋污染物 (是/否)	No
Label(s) / Placard Required	Miscellaneous Lithium batteries
标签 / 标牌要求	杂项锂电池
Special precautions which a user needs to be aware of, or needs to comply with, in connection with	

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

无论是对内还是对外的运输或运输方式,用户都需要注意或遵守的特殊预防措施。



ICAO / IATA: 国际民间航空组织/国际航空 运输协会:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association(IATA), DGR Packing Instructions (PI) 965 Section II/Section IB, PI966 Section II and PI967 Section II appropriate of IATA DGR 60th (2019 Edition) for transportation. 货物可根据民用航空组织(ICAO),TI 或国际航空运输协会(IATA),DGR 60th(2019 版)包装说明(PI)965 Section II/Section IB,PI 966 Section II 和 PI 967 Section II 相关规定进行空运。
IMDG CODE: 国际海运危险货物规则:	The batteries are not restricted to IMDG Code 2016 Edition (Amdt38-16) according to special provision 188. 根据特殊规定 188, 该电池不受 IMDG Code 2016 版(Admit 38-16)限制。
DOT: 美国运输部:	Other requirements for the US Department of Transportation (DOT) Subchapter C, Hazardous Materials Regulations if shipped in compliance with 49 CFR 173.185. 美国运输部(DOT)有害物质规则 C 分章中的其他规定,运输符合要求 49 CFR 173.185。
ADR/ADN: 欧洲国际陆运危险货物协定/ 关于内陆水道国际运输危险 货物的欧洲协定:	The batteries are not subject to the provisions of United Nations Economic Commission for Europe (UNECE) ADR/ADN if they meet the requirements of special provision 188 of Chapter 3.3. Applicable as from1 January 2017. 自 2017 年 1 月 1 日起适用于联合国欧洲经济委员(UNECE)ADR/ADN,如果电池符合第 3.3 章第 188 条的特殊要求,则电池不受限制。

In addition, to be permitted in transport each lithium cell and battery types must have passed the applicable tests set out in Subsection 38.3 of the UN Manual of Tests and Criteria.

此外,每个锂电芯和电池类型都必须通过联合国《关于危险货物运输的建议书 试验和标准手册》第 38.3 节规定的适用测试。

15. Regulatory Information 法规信息

Law information

Dangerous Goods Regulations 危险物品规则

Recommendations on the Transport of Dangerous Goods Model Regulations》

联合国《关于危险货物运输的建议书 规章范本》(20th 修订版)

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

联合国《关于危险货物运输的建议书 试验和标准手册》

International Air Transport Association (IATA) 《国际航空运输协会》(IATA)

International Maritime Dangerous Goods (IMDG Code 2016 Edition Admit 38-16)

《国际海运危险货物规则》(IMDG Code 2016 版 Admit 38-16)

Technical Instructions for the Safe Transport of Dangerous Goods 《危险货物安全运输技术指南》 Classification and code of dangerous goods (GB 6944-2012)

《危险货物分类和品名编号》- GB 6944-2012

2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2012《职业安全与健康标准》危险通信标准(29 CFR 1910.1200)

MSDS REPORT 7/8



Toxic Substance Control Act (TSCA) 《有毒物质控制法》(TSCA)
Code of Federal Regulations 《联邦条例》
In accordance with all Federal, State and local laws 符合所有联邦、州和地方法律

16. Additional Information

MSDS creation date: 2019 Version: 1.0

The information above is believed to be accurate and represents the best information currently available to us. However, we makes no warranty of merchantability or any other warranty, express or implied, with respect touch information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

The data/information contained herein has been reviewed and approved

SHENZHEN CONTINENT TECHNOLOGY CO., LTD

May 7th, 2019

Authorized Person:

Chen Genan